



LIGHTING AND SOUND SYSTEMS

UNIT F2, BATH ROAD TRADING ESTATE  
STROUD, GLOUCESTERSHIRE, GL5 3QF

TEL: +44 (0)1453 751865

FAX: +44 (0)1453 751866

WEB: [www.cav.co.uk](http://www.cav.co.uk)

EMAIL: [info@cav.co.uk](mailto:info@cav.co.uk)

# Lighting Hire Pricelist 2008

	Page
<b>LIGHTING</b>	
Lighting Technology	3
Lighting Technology Accessories	3
Intelligent Effects	3
Generic / Theatre	3
Lighting Control	3
AV Control	3
Strobe Effect	4
Strobe Controller	4
Projectors	4
Unusual items	4
Smoke Machine and Fans	4
Effects	4
Consumables	5
Drapes	5
General Lighting Equipment	5
<b>RIGGING &amp; STAGING</b>	
Motors	
Stands	6
Trussing	6
Ladders	6
Rigging Hardware	6
Staging	6
<b>CABLES</b>	
DMX cables	7
Socapex	7
Power cable	7

## Lighting Technology

	D	W
High End StudioSpot CYM MSR575 moving yoke profile c/w colour mixing, rotating litho gobos & prism	90	180
High End StudioBeam CYM MSR575 moving yoke wash c/w "flicker free ballast" colour mix and beam shaping	80	160
High End StudioColor (S) MSR575 moving yoke wash c/w "flicker free ballast" colour mix and beam shaping	70	140
Martin Professional MAC500 MSR575 moving yoke profile c/w rotating gobos & prism	60	100
Martin Professional MAC600 MSR575 moving yoke wash c/w full colour mixing & beam shaping	60	100
High End Cyberlight Turbo MSR1200SA c/w double output, colour mix, rotating litho gobos, zoom & prism	110	220
High End Cyberlight Litho SV MSR1200 c/w colour mixing, rotating litho gobos, zoom & prism	90	180
High End Technobeam MSD250 c/w Counter-rotating litho gobos & prism	60	100

## Lighting Technology Accessories

	See page 9	
Set Custom Gobos		
Wide Angle Lenses for Studio Spot	15	30
Exterior Dome c/w 120cm Column, Allows use of all lighting technology products outdoor in medium rain & wind conditions	80	100

## LED Lighting

JTE Pixelline 110ec RGB & Amber colour changing, 110, 1&3w Luxeon LEDs, 5 Cell wash batten. 4° spread, 7 to 360W internal driver	100	150
JTE Pixelline holographic filter (alters beam spread) 6 options	POA	POA
AVR, RGB colour changing Wash Batten, 36, 1w Luxeon LEDs, IP Rated	50	100
AVR RGB colour changing High power mini module, 3, 1w Luxeon LEDs, , suitable for custom illumination	5	10
AVR LED Pinpoint, RGBColour changing	8	6
AVR PSU/DMX RGB Driver, 1 output upto 36 Luxeon LEDs (12 mini modules, 1 batten)	10	20
AVR LED PSU/DMX RGB Driver, 8 output upto 2 LED Pinpoints (16 Total)	15	30
Tryka LED Strip Lighting, 12 miniature RGB LED modules c/w link leads and power supply, DMX or Standalone	POA	POA
JTE Pixelline holographic filter (alters beam spread) 6 options	60	180
Octopod 30 8-way set c/w power pack, DMX or standalone/sound to light options	30	90
Silver LED PAR64 Parcan, RGB Colour Changing, 10mm LEDs with Silver footplate	20	30

## Intelligent Effects (DMX capable)

Abstract MAD LED Head, Classic Disco Lightbox effect with a 21st Century Twist, fantastic in multiples, Master/Slave	20	40
Martin Professional Robocolor PRO400, colour changing hard edge wash light c/w 16A to IEC	40	80
EVL Spin, Rotating flower effect, spikes of light with changing patterns & colours, sound to light, Master/Slave	20	40
Martin Professional Destroyer, patterned, colour changing, fingers of light, sound to light, Master/Slave	15	30
MAD Scan, 150W MBI moving mirror c/w 8 gobos, 8 colours	25	50
MAD Spin, 150W MBI moving mirrored barrel c/w 8 gobos, 8 colours	25	50
Raving MAD Controller for MAD Scans & Spins	10	20

## Generic / Theatre

PAR64 6-way pre-wired bar c/w 6x gel frame, gel & safety (CP61)	35	45
PAR64 6-way pre-wired bar c/w 6x gel frame, gel & safety (CP62)	35	45
PAR64 4-way pre-wired bar c/w 4x gel frame, gel & safety (ACL)	25	30
Par 64 single stage can c/w gel frame, gel & safety (CP61/CP62/CP95)	7	10
Par 64 floor can c/w gel frame, gel & safety (CP88)	7	10
Par 64 IP Rated par can c/w gel frame, gel & safety (CP61/CP62/CP88/CP95)	15	30
Silver LED PAR64 Parcan, RGB Colour Changing, 10mm LEDs with Silver footplate	20	30
Birdie Par 16 Polished Aluminium 240v GU10 50w	5	6
Par 36 pinpoint c/w gel	4	5
Birdie - Silver PAR16 12v 50W	5	6
4 Way Birdie Transformer	5	6
ETC Source 4 Profiles 575 HPL c/w colour frame & 19°, 26°, 36° or 50° lens	12	18
ETC Source 4 Profiles 575 HPL c/w colour frame & 10° lens	16	24
Rota Q Gobo rotator (Size B e.g. Source 4) c/w DMX speed control	18	24
Selecon Acclaim Fresnel 650W c/w barn doors	6	10
Molefay - 8lite DWE	25	35
Molefay - 8lite DWE 4 Leaf Barn Doors	30	40
Molefay - 4 lite DWE	15	25
4 Cell Groundrow c/w Sopcapex input & gel frames	30	40
UV cannon 400W	15	25
500W weatherised IP rated flood, various mounting options available, stand available	4	6
Outdoor festoon cable 10m (20 Lamps) Multicolour lamps supplied as standard, single colour to order	15	25
Outdoor festoon cable 50m (140 Lamps) Multicolour lamps supplied as standard, single colour to order	75	100
Illuminated "EXIT" Emergency Sign 8W, Maintained (Normally ON: If power fails on until battery runs out)	10	20
Emergency Light 16W White, Non-maintained (Normally OFF: If power fails turns ON until battery runs out)	10	20

## Lighting Control

Avolites Rolacue Sapphire 2000 c/w graphics tablet & shape generator	180	360
Avolites Rolacue Pearl Expert lighting console	120	250
Flying Pigs Whole Hog 2 c/w Twin monitors, Effects generator, keyboard, mouse & manual	250	700
Flying Pigs Whole Hog 2 Expansion Wing	200	300
Jands Event 48/96	60	120
Pulsar Masterpiece	60	120
Q Commander	35	70

## Lighting Control continued

	D	W
Zero 88 Elara 24 Channel DMX console	20	35
Zero 88 linebacker	20	30
19" LCD Flat Panel Monitor	20	40
15" LCD Flat Panel Monitor	15	30
14" CRT	10	20
Avolites 6 way DMX splitter	20	40
Flying Pig 8 way DMX Buffer	25	50
Martin Show Designer Suite, virtual lighting event simulator up to 4 DMX input universes	200	400
18-channel DMX dimmer pack	45	75
12-channel DMX dimmer pack	30	50
6-channel DMX dimmer pack	15	25
Anytronics 6-channel dimmer		

## AV Control

Catalyst Extreme DMX controlled Video Graphics System version 4	540	1620
Martin Show Designer Suite, virtual lighting event simulator up to 4 DMX input universes	200	400

## Strobe Effect

High End AF1000 Dataflash (weatherised) Architectural strobe c/w HO1 high output lamp and axial reflector	20	40
High End AF1000 Dataflash Dichoric Filter	5	5
Optikinetics Pro Strobeflower	40	100
Optikinetics Terrastrobe	15	20
1.8m Mode Arcline section	10	15
Anytronics Megastar Strobe	10	12
Anytronics Superstar Strobe	10	12

## Strobe Controller

Optikinetics Pro Strobeflower controller	40	80
Mode 4 Zone Arcline controller	20	30
Mode1 Zone Arcline controller	10	20
single channel strobe controller	2	3
Multi channel strobe controller	8	12

## Projectors

Optikinetics K2 projector	40	50
Optikinetics Cassette & rotator	5	8
Optikinetics Solar System	40	50

## Unusual items

	POA	POA
Inflatable Column	POA	POA
Inflatable Arch	POA	POA
10' inflatable sphere c/w fan	60	80
1m Giant mirror ball	100	160
500mm Large mirror ball	12	18
300mm mirror ball c/w rotator	8	12
100Kg Heavy duty rotator	12	18
50Kg Heavy duty rotator	8	12
25Kg Heavy duty rotator	8	12
Triangular Projection Screen	10	20

## Smoke Machine and Fans

Martin Professional PRO2000 high power smoke machine c/w DMX remote & 2 litres fluid	30	50
Martin Professional PRO2000 high power smoke machine c/w 2 litres fluid	25	40
Antari smoke machine Z80 c/w 1 litre fluid	15	20
Antari Z-Ice Low smoke generator (N.B. Requires Ice Pellets to Function) c/w 2 litres fluid	35	60
Antari Faser, Smoke machine capable of variable smoke or haze style output c/w DMX remote & 2 litres fluid	25	40
DF50 Diffusion hazer - Oil cracker c/w full tank fluid	100	125
JEM Stage Hazer c/w 5 litres fluid	35	50
JEM AF1 DMX controlled variable speed fan	20	40
Tas Windy variable speed fan	15	30
Martin Professional PRO2000 high power smoke machine c/w DMX remote & 2 litres fluid	30	50
Martin Professional PRO2000 high power smoke machine c/w 2 litres fluid	25	40
Soundlab Snow Machine c/w 1 litre fluid		

## Effects

Le Maitre Bubble Master 2000	80	120
Bubble machine	15	30
Radio pyro firing system	80	120
Radio pyro reciever	12	20

# LIGHTING

## Consumables

## £ Per Item

DF50 diffusion Fluid	POA	POA
Smoke Fluid Jem or Antari	POA	POA
Hazer Fluid Jem or Antari	POA	POA
Bubble Fluid	POA	POA
50m Gaffa tape (Black/White)		POA
PVC tape (Purple/ White)		POA

## Drapes

Drape Black Wool Serge 20' by 30' drop	60	120
Drape Black Wool Serge 10' by 30' drop	30	60
Drape Black Wool Serge 40' by 2' drop Truss Border	POA	POA
Black 22' x2' truss border	POA	POA

## General Lighting

Comms system - Masterstation c/w headset & 2x Beltpack c/w headset	40	80
Beltpack and Headset (dual or single muff)	10	20

## Motors (NB. All Lodestar & control equipment operates on 4 pin 110 Volt connectors)

	D	W
Lodestar Plus1T Motorised Hoist c/w 20m chain drop (4 pin control)	50	75
Acutek 8 way Motorised Hoist Controller c/w remote (4 pin control) 32Amp 3 phase inlet	80	120
Acutek 4 way motor control & power breakout box (4 pin control) for use with 8 way control system	10	20
PCM 4 way Motorised Hoist Controller (4 pin control) 32Amp 3 phase inlet	40	60
5m motor control & power cable (4 pin control)	1.5	3
10m motor control & power cable (4 pin control)	2.5	5
20m motor control & power cable (4 pin control)	4	8
4 pin 110V to 3 pin 110V control adapter, for using 4 pin motors and cable with 3 pin control systems	1	2
10m motor control & power 4 way double socapex	4	8
20m motor control & power 4 way double socapex	6	12
1 Ton manual chain hoist	15	30
0.5 Ton manual chain hoist	10	20

## Stands

Manfrotto Tall Wind-up Stand	15	30
Manfrotto short adjustable stand	5	10
Cyberlight/Technobeam/nat/HPE adjustable floor stand	5	10
Tank Trap	5	10
Telescopic lighting tripod stand c/w 'T-Bar' or single fixture attachment plate	8	16

## Trussing

10 ft section A-Type, General Purpose, Medium Duty 20.5" Square truss	25	50
8 ft section A-Type, General Purpose, Medium Duty 20.5" Square truss	20	40
5 ft section A-Type, General Purpose, Medium Duty 20.5" Square truss	12.5	25
90° 2-Way fixed corner for A-Type, General Purpose, Medium Duty 20.5" Square truss	15	30
8 ft section Par 64 Pre-rig truss on castors, will take two 6-lamp bars, c/w bar clamps, rods and R-pins	30	60
Medium Duty Truss Baseplate/Fixture Plate	15	30
Black truss border 22 ft x 2 ft	10	20
3m section Astralite	7.5	15
1m section Astralite	2.5	5
Astralite 90° corner	5	10
Trilite Lecturn	50	150
Laptop shelf for Trilite Lectern	25	75
2m section Bilite	5	10
1m section Bilite	2.5	5
0.4m section Bilite	2	4
Bilite 90° corner (flat/perpendicular)	5	10
Boom Arm, 1m aluminium tube fitted with 50mm clamp on one end	3	6

## Access Equipment

Youngmans Rigging Ladder A-frame, 3 section, 3.5m	20	40
Zargees Rigging Ladder A-frame, 3 section, 3.6m, 12 rung	25	50
Zargees Rigging Ladder work platform, 1.9m, 6 rung	15	30
Wire rope rigging ladder, 8m c/w fall arrest	10	30
Aluminium Loading Ramp 420cm [L] x 96.5cm [W]	30	60

## Rigging Hardware

Motor rigging point	10	20
Steels (1m - 15m)	1.5	2
Span Set (1m - 4m)	2	2
Shackles (0.25T - 5.25T)	fr 0.5	1
HD Ratchet Strap	1	2
Various couplers, spigots, clamps, aluminium tubes and scaffold fittings available, please ask for details	POA	POA

## Safety Equipment

Vertical Fall Arrest	POA	POA
Horizontal Fall Arrest	POA	POA

## Staging

8' X 4' Litedeck unit	20	40
Litedeck handrail to connect to 8' side	16	32
Litedeck handrail to connect to 4' side	8	16
Leg Set (Available - 390mm, 270mm, 760mm, 950mm)	2	4
2 Step Set (Suitable 380mm or 270mm Stage)	10	20
3 Step Set (Suitable 760mm Stage)	15	30
5 Step Set (Suitable 950mm Stage)	25	50

## DMX cable

	D	W
2m DMX 3pin XLR/XLR	0.5	1
5m DMX 3pin XLR/XLR	1	2
10m DMX 3pin XLR/XLR	1.5	3
20m DMX 3pin XLR/XLR	2	4
5 pin DMX cables available	POA	POA
100m DMX 3/5 pin Drum	10	20
100m Dual DMX 3/5 pin Drum	20	40

## Socapex

10m 19 pin heavy duty Socapex	10	20
15m 19 pin heavy duty Socapex	12	24
20m 19 pin heavy duty Socapex	14	28
30m 19 pin heavy duty Socapex	18	32
16A Fan-in, 19 pin heavy duty Socapex	3	6
16A Fan-out, 19 pin heavy duty Socapex	3	6

## Power cable

5m 16A single phase 240V	1	2
10m 16A single phase 240V	2	4
20m 16A single phase 240V	3	6
30m 16A single phase 240V	4	8
13A plug to 16A socket single phase 240V	1	2
16A plug to IEC single phase 240V	1	2
16A plug to twin 16A sockets single phase 240V	1	2
16A pug to 13A 4-way single phase 240V	1	2
16A plug to twin 16A sockets single phase 240V	1	2
16A pug to 13A 4-way single phase 240V	1	2
16A to 15A socket single phase 240V	1	2
3m 32A singal phase 240V	2	4
5m 32A singal phase 240V	4	8
10m 32A singal phase 240V	6	12
20m 32A singal phase 240V	8	16
50m 32A singal phase 240V	20	40
13A plug to 32A socket singal phase 240V	2	4
32A plug to twin 32A sockets singal phase 240V	3	6
32A plug to13A 4-way singal phase 240V	2.5	5
10m 63A three phase	15	30
20m 63A three phase	30	60
63A three phase tails	5	10
125A three phase, Cam lLock, Power Lock & power jumpers available	POA	POA
Lighting Distribution Unit, 63A 3 phase inlet, 6 x Socapex outlets (10Amp MAX per channel)	30	60